

according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

775(E) Moisture Shield (Aerosol)

UFI: 1J1C-WME3-23AM-4EEA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Displaces moisture; deposits a clear, protective coating for metals in process, storage, transit, use. Easily removable. This is a solvent base coating.

Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Company name: Chesterton International GmbH

Street: Am Lenzenfleck 23

Place: D-85737 Ismaning GERMANY

Telephone: +49 89 99 65 46 - 0 Telefax: +49 89 99 65 46 - 50

E-mail: eu-sds@chesterton.com

Contact person: eu-sds@chesterton.com Telephone: +49 89 99 65 46 - 0

E-mail: eu-sds@chesterton.com
Internet: www.chesterton.com
Responsible Department: eu-sds@chesterton.com

1.4. Emergency telephone +49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 3; H229 Skin Sens. 1; H317 Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts

Signal word: Warning



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 2 of 16

Pictograms:



Hazard statements

H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

78 % by mass of the contents are flammable.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 3 of 16

Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
64742-47-8	Hydrocarbons, C11-C14, n-alkanes	, isoalkanes, cyclics, <2% aromatics		75 - < 80 %	
	926-141-6		01-2119456620-43		
	Asp. Tox. 1; H304 EUH066				
64742-52-5	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy naphthenic				
	265-155-0	649-465-00-7	01-2119467170-45		
	Asp. Tox. 1; H304				
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts				
	947-582-0		01-2120767409-42		
	Skin Sens. 1; H317				
124-38-9	Carbon dioxide			1 - < 5 %	
	204-696-9				
	Compressed gas; H280				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. I	Limits, M-factors and ATE		
64742-47-8	926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	75 - < 80 %	
	inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 15000 mg/kg			
64742-52-5	265-155-0	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy naphthenic	5 - < 10 %	
	dermal: LD50 =	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		
	947-582-0	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts	1 - < 5 %	
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg		

Further Information

No information available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Provide fresh air.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 4 of 16

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let 1 glass of water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Causes eye irritation. Causes skin irritation. Repeated exposure may cause skin dryness or cracking. Most important symptoms and effects, both acute and delayed: Headache, Dizziness, Pulmonary oedema Vapours may cause drowsiness and dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

- alcohol resistant foam
- Water spray jet
- Carbon dioxide (CO2)
- Dry extinguishing powder

Unsuitable extinguishing media

- Full water jet

5.2. Special hazards arising from the substance or mixture

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire: Wear self-contained breathing apparatus.

Special protective equipment for firefighters: Protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 5 of 16

General advice

Safe handling: see section 7

Personal protection equipment: see section 8

For non-emergency personnel

No information available.

For emergency responders

No information available.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

No information available.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Personal protection equipment: see section 8

Advice on protection against fire and explosion

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands before breaks and after work. Only wear fitting, comfortable and clean protective clothing. Used working clothes should not be worn outside the work area. Street clothing should be stored separately from work clothing.

Further information on handling

Observe instructions for use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.

Protect from direct sunlight.

Pressurised container: May burst if heated.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 6 of 16

Further information on storage conditions

Keep away from:

- Frost
- Heat
- Humidity

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
124-38-9	Carbon dioxide	5000	9000		TWA (8 h)	
		15000	27000		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2	2% aromatics			
Consumer DN	IEL, long-term	oral	systemic	18,75 mg/kg bw/day	
64742-52-5	Baseoil - unspecified, Distillates (petroleum), hydrotreated	heavy naphthenic			
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m³	
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³	
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day	
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day	
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfo	nated, barium salts			
Worker DNEL	, long-term	dermal	systemic	25 mg/kg bw/day	
Worker DNEL	, long-term	dermal	local	1,05 mg/cm ²	
Consumer DN	IEL, long-term	inhalation	systemic	4,35 mg/m³	
Consumer DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day	
Consumer DNEL, long-term		dermal	local	0,526 mg/cm ²	
Consumer DN	IEL, long-term	oral	systemic	2,5 mg/kg bw/day	
Worker DNEL	, long-term	inhalation	systemic	17,63 mg/m³	



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 7 of 16

PNEC values

CAS No	Substance			
Environmenta	Environmental compartment Value			
64742-52-5	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy naphthenic			
Secondary po	isoning	9,33 mg/kg		
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts			
Freshwater		0,1 mg/l		
Freshwater (intermittent releases) 1 mg/l				
Marine water 0,1 mg		0,1 mg/l		
Freshwater sediment 76		76,37 mg/kg		
Marine sediment 76,37 mg/		76,37 mg/kg		
Micro-organisms in sewage treatment plants (STP)		1000 mg/l		
Soil		15,17 mg/kg		

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection:

- Eye glasses with side protection
- goggles

Hand protection

Tested protective gloves must be worn: EN ISO 374

NBR (Nitrile rubber),

Wearing time with permanent contact: Thickness of the glove material: >= 0,4 mm, Breakthrough time: >480 min

Wearing time with occasional contact (splashes): Thickness of the glove material: >= 0,1 mm, Breakthrough time: > 30 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Wear suitable protective clothing.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Filtering device (full mask or mouthpiece) with filter: AX

Thermal hazards

No data available

Environmental exposure controls

No special measures are necessary.



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 8 of 16

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light brown
Odour: like: Petroleum

Test method

practically insoluble

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

207 °C

boiling range:

Flammability:

Lower explosion limits:

No data available
Upper explosion limits:

No data available
Upper explosion limits:

No data available
Flash point:

66 °C
Auto-ignition temperature:

No data available
Decomposition temperature:

No data available
pH-Value:

not applicable
Viscosity / kinematic:

No data available

Solubility in other solvents

Water solubility:

No information available.

Dissolution rate:

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

No data available

Vapour pressure: No data available ASTM D 2879

Density (at 20 °C): 0,8 g/cm³
Relative density: No data available
Bulk density: No data available

Relative vapour density: >1 (air = 1)

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No information available.

Other safety characteristics

Evaporation rate: <1 (Ether = 1)

Solvent content: 82 %
Solid content: No data available
Sublimation point: No data available
Softening point: No data available



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 9 of 16

Pour point:

Viscosity / dynamic:

No data available

No data available

Further InformationNo information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

This material is considered to be non-reactive under normal use conditions.

10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapours.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

- Nitrogen oxides (NOx),
- Carbon dioxide (CO2),
- Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 10 of 16

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64742-47-8	Hydrocarbons, C11-C14,	n-alkanes, is	oalkanes, c	yclics, <2% aromatics		
	oral	LD50 mg/kg	> 15000	Rat	Study report (1977)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1993)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 mg/l	> 5,28	Rat	Study report (1987)	OECD Guideline 403
64742-52-5	Baseoil - unspecified, Dis	tillates (petro	oleum), hydr	otreated heavy naphthenio		
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
	Benzene, mono-C10-13-a	alkyl derivs.,	distn. residu	es, sulfonated, barium sal	ts	
	oral	LD50 < 20000 mg	> 10000 - g/kg	Rat	Study report (1972)	Adult albino male Sprague-Dawley rats we
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 11 of 16

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 12 of 16

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64742-47-8	Hydrocarbons, C11-C14,	n-alkanes, i	soalkanes, cy	/clics, <2	2% aromatics			
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Danio rerio	REACh Registration Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	0,173	28 d	Oncorhynchus mykiss	REACh Registration Dossier	The aquatic toxicity was estimated by a	
	Crustacea toxicity	NOEC mg/l	> 10,2	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211	
64742-52-5	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy naphthenic							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203	
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a	
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Cyprinodon variegatus	REACh Registration Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	EPA OTS 797.1050	
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300	
	Acute bacteria toxicity	EC50 mg/l ()	> 10000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209	

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 13 of 16

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics				
		77-83%	28		
	Readily biodegradable (according to OECD criteria).				
64742-52-5	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy	naphthenic			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	31%	28		

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 1,99
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts	ca3,8 - ca. 5,2

BCF

CAS No	Chemical name	BCF	Species	Source
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 6,91	calculated	REACh Registration D
Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts		70,8		United States Enviro

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

775(E)	Moisture	Shield	(Aerosol)
--------	----------	--------	-----------

Revision date: 31.03.2025 Page 14 of 16

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2Classification code:5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 3
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2Classification code:5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2

Special Provisions: 63 190 277 327 344 381 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

14.2. UN proper shipping name: AEROSOLS, NON-FLAMMABLE

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2

Special Provisions: A98 A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:

IATA-max. quantity - Passenger:

IATA-packing instructions - Cargo:

IATA-max. quantity - Cargo:

150 kg



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 15 of 16

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy naphthenic

Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,14,15.



according to Regulation (EC) No 1907/2006

775(E) Moisture Shield (Aerosol)

Revision date: 31.03.2025 Page 16 of 16

Abbreviations and acronyms

Aerosol: Aerosol Compressed gas

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure		
Aerosol 3; H229	On basis of test data		
Skin Sens. 1; H317	Calculation method		
Asp. Tox. 1; H304	Calculation method		

Relevant H and EUH statements (number and full text)

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)